

**SUPER-SYMMAR XL (Asphérique)**

These lenses are part of a new generation of aspheric photographic lenses of a very compact design. The 6-element/4-component lenses have a 105° angle of view. The image circle is similar to a Super-Angulon of a comparable focal length. Color fringing, especially at small scale ratios is almost entirely eradicated. The overall dimensions of these lenses have been reduced considerably in comparison to standard wide angle lenses.

Ident no.	Version	Image circle	Angle of view	€ HT
33985	4,5/80 XL CELLS	211 mm	XL 105°	1 581,06 €
35535	<b>4,5/80</b> XL COPAL 0	211 mm	XL 105°	1 985,56 €
12465	5,6/110 XL CELLS	288 mm	XL 105°	1 484,17 €
1036503	<b>5,6/110</b> XL COPAL 1	288 mm	XL 105°	2 031,70 €
12461	5,6/150 XL CELLS	386 mm	XL 105°	1 987,10 €
1036505	<b>5,6/150</b> XL COPAL 1	386 mm	XL 105°	2 534,62 €
23478	5,6/210 XL CELLS	500 mm	XL 100°	2 923,74 €
25213	<b>5,6/210</b> XL COPAL 3	500 mm	XL 100°	2 879,58 €

**APO-SYMMAR-L**

The 6-element/4-component apochromatically corrected lenses with a 75° angle of view at working aperture (56° with the 8,4/480L) offer very large adjustment possibilities for correction of perspective and lens tilts, a universal lens range for almost every type of professional application.

Ident no.	Version	Image circle	Angle of view	€ HT
29330	5,6/120 CELLS	189 mm	XL 75°	622,89 €
29383	5,6/120 GF HELICAL MOUNT	189 mm	XL 75°	622,89 €
29328	<b>5,6/120</b> COPAL 0	189 mm	XL 75°	1 027,38 €
1004133	5,6/120 COPAL 0 FOR HELICAL MOUNT	189 mm	XL 75°	1 027,38 €
29418	5,6/150 CELLS	233 mm	XL 75°	684,41 €
29419	5,6/150 GF FOR HELICAL MOUNT	233 mm	XL 75°	684,41 €
29416	<b>5,6/150</b> COPAL 0	233 mm	XL 75°	1 090,44 €
1004134	5,6/150 COPAL FOR HELICAL MOUNT	233 mm	XL 75°	1 090,44 €
29422	5,6/180 CELLS	277 mm	XL 75°	847,44 €
29420	<b>5,6/180</b> COPAL 1	277 mm	XL 75°	1 394,97 €
29425	5,6/210 CELLS	321 mm	XL 75°	942,79 €
29423	<b>5,6/210</b> COPAL 1	321 mm	XL 75°	1 490,32 €
29427	5,6/300 CELLS	430 mm	XL 72°	1 896,35 €
29426	<b>5,6/300</b> COPAL 3	430 mm	XL 72°	2 937,58 €
29429	8,4/480 CELLS	500 mm	XL 56°	2 889,90 €
29428	<b>8,4/480</b> COPAL 3	500 mm	XL 56°	3 931,13 €

**MAKRO-SYMMAR HM****5,6/180**

High performance 8-element/4-component macro lens for an approximate 1:1 scale. The ratio range can be extended between 1:4 and 4:1 for normal product photography as well as for enlarging techniques. **The image circle is dependent on the image scale!**

Ident no.	Version	Image circle	Angle of view	€ HT
39906	5,6/180 CELLS	281 mm (1:2)	Macro 55°	1 305,76 €
39905	<b>5,6/180</b> COPAL 1	375 mm (1:1)	Macro 55°	1 853,29 €
39907	5,6/180 NORMAL MOUNT 1	562 mm (2:1)	Macro 55°	1 453,41 €

**SUPER-ANGULON XL****5.6/38****5,6/47****5,6/58****5,6/72****5,6/90****6.8/90**

Actual design of wide angle lenses, largest image circle up to 120°, consisting of 8 elements in 4 components in almost symmetrical design. An outstanding angle of view, excellent contrast and resolution are proven characteristics of these lenses. For every type of this line a special center filter is available for the purpose to compensate the natural brightness decrease towards the edges.

Ident no.	Version	Image circle	Angle of view	€ HT
36453	5,6/38 CELLS	139 mm	XL 120°	1 481,09 €
43260	<b>5,6/38</b> COPAL 0	139 mm	XL 120°	1 885,59 €
24824	5,6/47 CELLS	166 mm	XL 120°	1 410,35 €
25044	<b>5,6/47</b> COPAL 0	166 mm	XL 120°	1 814,84 €
16821	5,6/58 CELLS	166 mm	XL 110°	1 130,43 €
16819	<b>5,6/58</b> COPAL 0	166 mm	XL 110°	1 534,92 €
24999	5,6/72 CELLS	229 mm	XL 115°	1 547,23 €
25587	<b>5,6/72</b> COPAL 0	229 mm	XL 115°	1 951,72 €
16825	5,6/90 CELLS	259 mm	XL 110°	1 650,27 €
16823	<b>5,6/90</b> COPAL 0	259 mm	XL 110°	2 054,77 €
28184	6,8/90 CELLS	216 mm	100°	1 102,75 €
28185	<b>6,8/90</b> COPAL 0	216 mm	100°	1 507,24 €

**TELE-XENAR****5,6/250**

The 5-element/5-component telephoto lens system for large format cameras offers a high resolution with brilliant contrast. The field of application is not only to bridge large distances, but is also applicable for portrait, ad and industrial photography.

Ident no.	Version	Image circle	Angle of view	€ HT
11442	5,6/250 CELLS	190 mm	42°	1 055,07 €
11383	<b>5,6/250 COPAL 1</b>	190 mm	42°	1 604,13 €

**APO-TELE-XENAR****11/350****5,6/400****9/600****12/800****HG\_9/600****HG\_12/800**

The 5-element/5-component telephoto lens system for large format cameras offers a high resolution with brilliant contrast. The Apo-Tele-Xenar lenses 9/600 mm and 11/800 mm are modularly designed with an interchangeable rear cell.

Ident no.	Version	Image circle	Angle of view	€ HT
1057497	11/350 CELLS	350 mm	59°	373,73 €
1057498	<b>11/350 COPAL 1</b>	350 mm	59°	921,26 €
1057500	11/350 COPAL 1 TUBUS	350 mm	59°	972,02 €
1057501	11/350 NK-1	350 mm	59°	521,38 €
1057502	TUBE WITH RETAINING RING			50,75 €
32669	5,6/400 CELLS	250 mm	36°	1 388,81 €
32676	<b>5,6/400 COPAL</b>	250 mm	36°	2 430,04 €
28170	9/600 CELLS	400 mm	37°	2 963,73 €
28171	<b>9/600 COPAL 3</b>	400 mm	37°	4 004,95 €
28172	12/800 CELLS	480 mm	34°	3 180,58 €
28173	<b>12/800 COPAL 3</b>	480 mm	34°	4 223,35 €
28182	9/600 REAR CELL			945,87 €
28183	12/800 REAR CELL			1 161,19 €

**FINE-ART-XXL**

11/550 co



16/770



22/1100 co

All lenses are featuring outstanding optical performances, such as low distortion, constantly high resolution over the entire image circle of 900 mm and large adjustment reserves, even with the popular 7" x 17" and 8" x 20" panorama formats.

Ident no.	Version	Image circle	Angle of view	€ HT
1001914	11/550 CELLS	900 mm f22	78°	4 878,54 €
1003433	11/550 COPAL 3	900 mm f22	78°	5 919,76 €
1068589	16/770 CELLS	900 mm f22	60°	4 217,20 €
1070256	16/770 COPAL 3	900 mm f22	60°	5 258,42 €
1056262	14/1100 CELLS	900 mm f22	45,7°	3 863,46 €
1056263	22/1100 COPAL 3	900 mm f22	45,7°	4 904,68 €
1056264	14/1100 CYLINDER MOUNT BK 73	900 mm f14		4 366,38 €

\* + WATERHOUSE STOPS

**APO-DIGITAR XL**

5,6/24



5,6/35

Designed for the professional digital photography and applied where professional digital backs with highest standard of quality claim is used. Image circle with  $k = 11$ ,  $D = \infty$

Ident no.	Version	Image circle	Angle of view	€ HT
18273	5,6/24 IM CELLS	60 mm	XL 100°	1 920,96 €
10427	5,6/24 IM NK0-0118	60 mm	XL 100°	2 957,57 €
10353	5,6/24 IM COPAL 0	60 mm	XL 100°	2 326,99 €
1001453	5,6/35 IM CELLS	70 mm	XL 100°	2 067,07 €
1003254	5,6/35 IM NK0-0118	70 mm	XL 100°	3 103,68 €
1002943	5,6/35 IM IM COPAL 0	70 mm	XL 100°	2 471,57 €

**DIGITAR L**

2,8/28

Designed for the professional digital photography and applied where professional digital backs with highest standard of quality claim are used. Image circle with  $k = 11$ ,  $D = \infty$  / Lens characteristics: L - wide angle

Ident no.	Version	Image circle	Angle of view	€ HT
32803	2,8/28 CELLS 0	60 mm	L 92°	1 633,36 €
13524	2,8/28 NK-0	60 mm	L 92°	1 757,93 €
13498	2,8/28 COPAL 0	60 mm	L 92°	2 037,85 €
17529	2,8/28 SCHNEIDER ELECTRONIC 0	60 mm	L 92°	2 669,97 €

**SUPER-DIGITAR -XL 115°****5,6/28**


Designed for the professional digital photography and applied where professional digital backs with highest standard of quality claim are used.  
Image circle with  $k = 11$ ,  $D = \infty$  / Lens characteristics: XL - Superwide angle

Ident no.	Version	Image circle	Angle of view	€ HT
1061638	5,6/28 CELLS 0	90 mm	115°	3 200,58 €
1064996	<b>5,6/28</b> COPAL 0	90 mm	115°	3 606,61 €
1064998	5,6/28 SCHNEIDER ELEKTRONIC 0	90 mm	115°	4 237,19 €

**APO-DIGITAR****5,6/43 XL****5,6/47 XL****4,0/60 N****5,6/60****5,6/72 L****4,0/80 L**

Designed for the professional digital photography and applied where professional digital backs with highest standard of quality claim are used.  
Because of the large image circle and Scheimpflug tilts all Digitars are best applicable for perspective corrections. Image circle with  $k = 11$ ,  $D = \infty$   
Lens characteristics: XL - Superwide angle, L - Wide angle, N - Normal

Ident no.	Version	Image circle	Angle of view	€ HT
1060063	5,6/43 CELLS 0	110 mm	XL 102°	2 050,15 €
1064041	<b>5,6/43</b> COPAL 0	110 mm	XL 102°	2 454,65 €
1064042	5,6/43 SCHNEIDER ELECTRONIC 0	110 mm	XL 102°	3 086,77 €
32780	5,6/47 CELLS 0	113 mm	XL 100°	1 078,14 €
13260	5,6/47 NK-0	113 mm	XL 100°	1 202,72 €
13255	<b>5,6/47</b> COPAL 0	113 mm	XL 100°	1 484,17 €
17691	5,6/47 SCHNEIDER ELECTRONIC 0	113 mm	XL 100°	2 114,75 €
32785	4,0/60 CELLS 0	60 mm	N 53°	701,33 €
13277	4,0/60 NK-0	60 mm	N 53°	824,37 €
13270	<b>4,0/60</b> COPAL 0	60 mm	N 53°	1 105,82 €
17721	4,0/60 SCHNEIDER ELECTRONIC 0	60 mm	N 53°	1 737,94 €
1065912	5,6/60 CELLS 0	120 mm	XL 90°	2 090,14 €
1066463	<b>5,6/60</b> COPAL 0	120 mm	XL 90°	2 494,64 €
1066464	5,6/60 SCHNEIDER ELECTRONIC 0	120 mm	XL 90°	3 126,75 €
1066465	5,6/60 NORMAL MOUNT 0	120 mm	XL 90°	2 214,72 €
1007641	5,6/72 CELLS	90 mm	L 62°	1 164,27 €
1007642	<b>5,6/72</b> COPAL 0	90 mm	L 62°	1 570,30 €
1009064	5,6/72 SCHNEIDER ELECTRONIC 0	90 mm	L 62°	2 200,88 €
32787	4,0/80 CELLS 0	90 mm	L 59°	710,56 €
13309	4,0/80 NK-0	90 mm	L 59°	835,13 €
13302	<b>4,0/80</b> COPAL 0	90 mm	L 59°	1 115,05 €
17731	4,0/80 SCHNEIDER ELECTRONIC 0	90 mm	L 59°	1 747,17 €

**APO-DIGITAR** continue

Designed for the professional digital photography and applied where professional digital backs with highest standard of quality claim are used. Lens characteristics: L - Wide angle, M - Macro, N - Normal, T - Tele

Ident no.	Version	Image circle	Angle of view	€ HT
32790	5,6/80 CELLS 0	75-80 mm	Macro 40°	952,02 €
13320	5,6/80 NK-0	75-80 mm	Macro 40°	1 075,06 €
13317	<b>5,6/80</b> COPAL 0	75-80 mm	Macro 40°	1 356,52 €
17942	5,6/80 SCHNEIDER ELECTRONIC 0	75-80 mm	Macro 40°	1 988,63 €
32789	4,5/90 CELLS 0	90 mm	N 53°	638,27 €
13315	4,5/90 NK-0	90 mm	N 53°	762,85 €
13312	<b>4,5/90</b> COPAL 0	90 mm	N 53°	1 044,30 €
17780	4,5/90 SCHNEIDER ELECTRONIC 0	90 mm	N 53°	1 674,88 €
32827	5,6/100 CELLS 0	100 mm	N 53°	864,36 €
19886	5,6/100 NK-0	100 mm	N 53°	987,40 €
19765	<b>5,6/100</b> COPAL 0	100 mm	N 53°	1 268,85 €
17890	5,6/100 SCHNEIDER ELECTRONIC 0	100 mm	N 53°	1 900,97 €
1071544	5,6/100 asph CELLS 0	100 mm	N 53°	919,72 €
1071754	5,6/100 asph. NK-0	100 mm	N 53°	1 044,30 €
1071757	<b>5,6/100</b> asph. COPAL 0	100 mm	N 53°	1 324,22 €
1071759	5,6/100 asph. SCHNEIDER ELECTRONIC 0	100 mm	N 53°	1 956,34 €
32825	5,6/120 CELLS 0	110 mm	N 48°	747,47 €
19720	5,6/120 NK-0	110 mm	N 48°	870,51 €
19696	<b>5,6/120</b> COPAL 0	110 mm	N 48°	1 151,96 €
17900	5,6/120 SCHNEIDER ELECTRONIC 0	110 mm	N 48°	1 784,08 €
1065803	5,6/120 asph. CELLS 0	110 mm	N 48°	970,48 €
1067558	5,6/120 asph. NK-0	110 mm	N 48°	1 093,52 €
1067556	<b>5,6/120</b> asph. COPAL 0	110 mm	N 48°	1 374,97 €
1067557	5,6/120 asph. SCHNEIDER ELECTRONIC 0	110 mm	N 48°	2 007,09 €
32786	5,6/120 CELLS 0	80-110 mm	Macro 30°	1 182,72 €
13286	5,6/120 NK-0	80-110 mm	Macro 30°	1 307,30 €
13287	<b>5,6/120</b> COPAL 0	80-110 mm	Macro 30°	1 587,22 €
17964	5,6/120 SCHNEIDER ELECTRONIC 0	80-110 mm	Macro 30°	2 219,33 €
32820	5,6/150 CELLS 0	110 mm	N 40°	1 135,04 €
16932	5,6/150 NK-0	110 mm	N 40°	1 259,62 €
16534	<b>5,6/150</b> COPAL 0	110 mm	N 40°	1 541,08 €
17941	5,6/150 SCHNEIDER ELECTRONIC 0	110 mm	N 40°	2 171,66 €
1002621	5,6/180 CELLS 0	120 mm	T 37°	1 155,04 €
1006541	5,6/180 IM NK 0	120 mm	T 37°	1 278,08 €
1002944	<b>5,6/180</b> COPAL 0	120 mm	T 37°	1 559,53 €
1003283	5,6/180 IM NK0-118	120 mm	T 37°	2 191,65 €

**APO-DIGITAR** continue

9

Ident no.	Version	Image circle	Angle of view	€ HT
1004091	6,8/210 CELLS 0	120 mm	T 32°	1 425,73 €
1004092	<b>6,8/210</b> COPAL 0	120 mm	T 32°	1 830,22 €
1005762	6,8/210 SCHNEIDER ELECTRONIC 0	120 mm	T 32°	2 462,34 €
1006555	6,8/210 NK-0	120 mm	T 32°	1 550,30 €
1004088	5,6/210 CELLS 1	120 mm	T 32°	1 425,73 €
1004089	5,6/210 COPAL 1	120 mm	T 32°	1 973,25 €
1006557	5,6/210 NK-1	120 mm	T 32°	1 573,37 €

**APO-COMPONON HM**

Even for extreme tasks the resolution and color correction of the 6-element/4-component telephoto lens guarantees an optimum image quality already with full aperture. CNC manufactured mechanics of the normal/barrel mount BLV\_V with illuminated iris window, disengageable click stop and iris preset lever are used up to 90 mm. The 120 mm lens has a normal/barrel mount BL-0, the 150 mm lens BL-1, both equipped with illuminated iris window and locking in half aperture stops.

Ident no.	Version	Image circle	€ HT
19746	2,8/40 LEICA	24 x 36 mm	447,56 €
39256	4/45 LEICA	24 x 36 mm	441,41 €
18928	4,0/60 LEICA	45 x 60 mm	595,21 €
37834	4,5/90 LEICA	60 x 70 mm	653,65 €
23457	5,6/120 NORMAL MOUNT 0	90 x 120 mm	875,12 €
14679	4/150 NORMAL MOUNT 1	90 x 120 mm	1 013,54 €

**COMPONON-S**

The design consisting of 6 elements in 4 components is characterized by a high contrast transfer, excellent rich detail performance and uniform image focal plain flatness. Due to the working area of 2 x up to 20 x enlargement the Componon-S lenses are always chosen when highest image quality is uncompromisingly required. The focal lengths up to 100 mm are delivered im Leica mount with illuminated iris. From 135 mm focal length the normal/barrel mount also with illuminated iris is used.

Ident no.	Version	Image circle	€ HT
16828	2,8/50 LEICA	6 elements	232,24 €
14850	4/80 LEICA	6 elements	296,83 €
14022	5,6/100 LEICA	6 elements	461,40 €
39569	5,6/135 BKL	6 elements	581,36 €
39570	5,6/150 BKL	6 elements	532,15 €
15818	2,8/50 LEICA	<b>4 elements</b>	<b>COMPONAR - S</b> 135,34 €

**ACCESSORIES - ENLARGING LENSES**

Ident no.	Version		€ HT
11701		CLOSE-UP RING M42	30,76 €
11705	LEICA ON M 42	CLOSE-UP RING	27,68 €
10711		LEICA ON 0 (METALL)	21,53 €
17571	00	RETAINING RING	12,30 €
17602	0		12,30 €
17633	1		12,30 €
25160	3		13,84 €
24667	LEICA		12,30 €
22458	00	FLANGE RING	24,61 €
22427	0		24,61 €
22459	1		24,61 €
22346	3		30,76 €
24872	LEICA		24,61 €

**PC-TS Tilt/Shift**

PC TS - Perspective control by tilting and shifting is the name for the new special lenses. The large image circles allow a simultaneous shifting of 12 mm and tilting of 8°. Both, the tilting and the shifting can be rotated by 360° so that a certain setting can be done in every direction and independent from each other. The Super-Angulon and the Makro-Symmar are designed for full-format DSLR cameras, the Apo-Digitar for Mamiya / Phase One medium format systems.

Ident no.	Version	Image circle		€ HT
1064917	PC-TS 2,8/50MM CANON EOS	72 mm	SUPER-ANGULON	3 169,82 €
1066457	PC-TS 2,8/50MM NIKON	72 mm		3 169,82 €
1066459	PC-TS 2,8/50MM SONY ALPHA	72 mm		3 169,82 €
1066458	PC-TS 2,8/50MM PENTAX	72 mm		3 169,82 €
1070884	PC-TS 2,8/50MM LENS HOOD			170,72 €
1064382	PC-TS 4,5/90MM CANON EOS	90 mm	MAKRO-SYMMAR	3 049,85 €
1066460	PC-TS 4,5/90MM NIKON	90 mm		3 049,85 €
1066462	PC-TS 4,5/90MM SONY ALPHA	90 mm		3 049,85 €
1066461	PC-TS 4,5/90MM PENTAX	90 mm		3 049,85 €
1065732	PC-TS 5,6/120MM PHASE ONE/MAMIYA 645 AF	120 mm	APO-DIGITAR	3 769,64 €

**PC SUPER-ANGULON**

11

**2,8/28**

The optical performance of this 12-element design is even convincing with extreme shift, reached by a floating system guaranteeing a constantly high quality over the entire focus range up to 0,28 m. Movements: horizontal + vertical = 11 mm, diagonal = 9,5 mm

Ident no.	Version	Image circle	€ HT	
39789	<b>2,8/28</b> WITHOUT SOCKET	62,0 mm	93,40°	1 691,80 €
60013	2,8/28 LENS HOOD		FOR PC SUPER-ANGULON	170,72 €
19106	CANON		Bayonet	126,12 €
45733	<b>CANON - EOS</b>		Bayonet	132,27 €
19118	CONTAX/YASHICA		Bayonet	126,12 €
19098	<b>PENTAX - K</b>		Bayonet	132,27 €
19124	<b>SONY/ALPHA</b> (ex MINOLTA AF)		Bayonet	153,80 €
19104	<b>NIKON</b>		Bayonet	132,27 €
19120	OLYMPUS		Bayonet	126,12 €

**CENTER FILTER**

45385	5,6/38 XL	CENTER FILTER II A	299,91 €
16190	5,6/47 DIGITAR M52	CENTER FILTER II	199,94 €
24061	5,6/24 XL (DIGITAR) Integral	CENTER FILTER II B	207,63 €
19786	5,6/24 XL (DIGITAR)	CENTER FILTER II D	207,63 €
1069159	5,6/28 XL 115° SUPER DIGITAR	CENTER FILTER IVD	449,10 €
19871	5,6/35 L (DIGITAR)	CENTER FILTER II E	207,63 €
1003286	5,6/35 XL	CENTER FILTER II F	207,63 €
1003287	5,6/35 XL	CENTER FILTER II G	207,63 €
1069162	5,6/45 XL APO-DIGITAR	CENTER FILTER II I	207,63 €
25637	5,6/47 XL - 5,6/58 XL	CENTER FILTER III C	299,91 €
1069161	5,6/60 APO-DIGITAR	CENTER FILTER II H	207,63 €
10590	5,6/58 XL - 8/90-4,5/80 ASPH.	CENTER FILTER III B	295,30 €
28300	6,8/90	CENTER FILTER III D	301,45 €
25638	5,6/72 XL - 5,6/90 XL	CENTER FILTER IV B	449,10 €
10598	65/75	CENTER FILTER III	286,07 €
10599	5,6/90-8/120	CENTER FILTER IV	401,42 €
10591	5,6/90 XL	CENTER FILTER IV A	453,71 €
10592	8/165	CENTER FILTER V	787,46 €
10593	8/210	CENTER FILTER VI	850,51 €

**HELICAL MOUNT**

1064980	WIDE ANGLE SIZE 28 - 47 mm	307,60 €
	HELICAL MOUNT SIZE 1	0,00 €
1001607	5,6/35	295,30 €
45757	SA 38 XL	295,30 €
25613	SA 47 XL AND 47 OLD VERSION	295,30 €
25614	SA 58 XL	295,30 €
25616	SA 72 XL	295,30 €
25623	SA 75 AND APO-DIGITAR 72	295,30 €
11278	SSY 80	295,30 €
25624	SA 90 XL AND SA 90	295,30 €
25625	ASY 100	295,30 €
25626	ASY 120	295,30 €
25627	ASY 135	295,30 €
25628	ASY 150	295,30 €
39167	THREAD ADAPTER	38,45 €

**NORMAL MOUNT, SHUTTERS**

12

Ident no.	Version	€ HT
22409	NORMAL MOUNT 00	90,74 €
22420	NORMAL MOUNT 0	124,58 €
22329	NORMAL MOUNT 1	149,19 €
22006	NORMAL MOUNT 3	267,61 €
37878	BKL 0	149,19 €
43772	BKL 1	163,03 €
19764	CYLINDER MOUNT 00	13,84 €
18445	CYLINDER MOUNT 0	21,53 €
19718	CYLINDER MOUNT 1	23,07 €
22277	CYLINDER MOUNT 3	30,76 €
38576	CYLINDER AS BK 15	27,68 €
1002871	CYLINDER MOUNT BK 73	FOR FINE-ART 1100 INCL. IRIS DISCS 501,39 €
12988	COPAL 0	SHUTTER 404,49 €
12989	COPAL 1	SHUTTER 547,53 €
12991	COPAL 3	SHUTTER 1 042,76 €
1065271	NK0-123 BASIC PROGRAM	SE-SHUTTER 1 038,15 €

**POWER SUPPLY, CABLES, ACCESSORY**

1017971	POWER SUPPLY INTERNATIONAL	155,34 €
1053371	CABLE EURO PLUG	9,23 €
1053372	CABLE UK	9,23 €
1053373	CABLE US AND JAPAN	9,23 €
10162	CABLE NK0-118 / EYELIKE	163,03 €
1001657	SC-ES CABLE EYELIKE	CABLE REMOTE CONTROL/EYELIKE 123,04 €
1001656	SC POWER SUPPLY PLUG 230V	POWER PLUG FOR REMOTE CONTROL 75,36 €
1006181	BATTERY	NIMH 10,77 €
1006188	SC POWER SUPPLY	POWER PLUG FOR REMOTE CONTROL 49,22 €
1055208	USB INTERFACE SET	785,92 €
1054021	USB CABLE, 5 m	9,23 €
1055204	TRIGGER CABLE	23,07 €
1054552	SYNC CABLE BACK	29,22 €
1058653	USB/SINAR M CABLE	156,88 €
1055206	USB POUCH	30,76 €
1056699	HASSELBLAD INTERFACE	HASSELBLAD V-ADAPTER 61,52 €
1001654	SC SHUTTER CONTROL	REMOTE CONTROL FOR NK0-118/119 861,28 €
1009691	RS-232 ADAPTER FOR NK0-118 BZW.119	ADAPTER FOR PC SYSTEMS EA 0203 315,29 €
1006291	SC-IM CABLE IMACON	123,04 €
1005393	CABLE NK0-118/IMACON	292,22 €
1006021	ADAPTER CABLE IMACON IXPRESS CF	MINI DIN ON JACK PLUG 2.5 MM RED/GREEN 26,15 €
1057651	H3D/H4D ADAPTER CABLE	HASSELBLAD ACCESSORY 38,45 €
1006013	SC-ES CABLE EYELIKE	ADAPTER EYELIKE EMOTION 163,03 €
1006292	SC - HASSELBLAD CABLE	HASSELBLAD INTERFACE 64,60 €
1058653	SINAR- M-INTERFACE	ADAPTER CABLE SINAR M SYSTEM 156,88 €
34784	ALU CASE TXR/SR	LENS CASE UNI 144,57 €
1064915	SET OF ASSEMBLY TOOL (3)	SHUTTER ACCESSORY 229,16 €
1062338	STANDARD TOOL 0, 1 AND 3	SHUTTER ACCESSORY 104,58 €
1062341	TOOL FOR HELICAL MOUNTS AND TUBES	SHUTTER ACCESSORY 83,05 €
1062340	TOOL SIZE 3, CENTERED	SHUTTER ACCESSORY 83,05 €